



CLEAN HEAT, BIG SAVINGS

Clean Energy Heating Systems is a different kind of furnace manufacturer. We research, we test, we innovate and we build advanced waste oil furnaces that push the limits of technology and save you money.

Our line of waste oil furnaces is more innovative, more efficient and easier to service than any other. And because our furnaces operate on used motor oil, transmission fluid and other petroleum products, they generate significant cost savings in addition to clean, safe heat for your facility.

Please visit us online to experience our vision and learn more about our products. We look forward to hearing from you.



CE-140 WASTE OIL FURNACE



SPECS:

- Stainless steel heat exchanger
- BTU/Hour Input: 140,000
- Fuel Consumption: 1.0 GPH
- Air Flow Output CFM/Heat Rise: 1,700/75° F
- Electrical: 115 VAC, 60 Hz, Single Phase, 20-Amp Breaker
- Dimensions: 77" L x 28" H x 26" W
- 10-Year Warranty

CE-250 WASTE OIL FURNACE



SPECS:

- Stainless steel heat exchanger
- BTU/Hour Input: 245,000
- Fuel Consumption: 1.7 GPH
- Air Flow Output CFM/Heat Rise: 2,400/90° F
- Electrical: 115 VAC, 60 Hz, Single Phase, 30-Amp breaker
- Dimensions: 100" L x 28" H x 26" W
- 10-Year Warranty

CE-180 WASTE OIL FURNACE



SPECS:

- Stainless steel heat exchanger
- BTU/Hour Input: 175,000
- Fuel Consumption: 1.2 GPH
- Air Flow Output CFM/Heat Rise: 1,700/80° F
- Electrical: 115 VAC, 60 Hz, Single Phase, 20-Amp Breaker
- Dimensions: 83" L x 28" H x 26" W
- 10-Year Warranty


CE-330 WASTE OIL FURNACE



SPECS:

- Stainless steel heat exchanger
- BTU/Hour Input: 325.000
- Fuel Consumption: 2.3 GPH
- Air Flow Output CFM/Heat Rise: 3,700/85° F
- Electrical: 230 VAC, 60 Hz, Single Phase, 30-Amp Breaker
- Dimensions: 111" L x 32" H x 26" W
- 10-Year Warranty

THE CLEAN ENERGY DIFFERENCE



CE-340 WASTE OIL BOILER



Featuring many of the same design innovations found in our line of waste oil furnaces, the CE-340 boiler allows businesses to create free hot water for radiant heat or other purposes by burning waste oil. Even better, our wet base fire tube boiler reduces hot spots and deterioration.

SPECS:

- 2.4 GPH fuel flow rate
- Requiring 2.5 CFM @ 25 PSI compressed air
- 115 V / 60 Hz 20-AMP electric
- ASME Certified
- UL & cUL Listed
- 10-Year Warranty

WASTE OIL HEATING CENTER



Our Waste Oil Heating Center makes it easy to create free heat for your business. With a built-in tank and steel frame furnace mount, you can start recycling waste oils and generating heat right away.

FEATURES:

- 250 Gallon Tank
- Large filter drain pan
- Stand Height*: 8'
- Dimensions*: 65" L x 98" H x 30" W
- Includes copper tubing and fittings to connect furnace and tank
- Includes pump mount bracket
- * excluding Furnace

A NEW STANDARD




Our advanced waste oil furnaces set a new standard, thanks to:

- Solid ROI and cost savings versus a traditional furnace
- ✓ Durable, stainless steel components
- ✓ High velocity, air swept heat exchanger
- ✓ Highly efficient, easy-to-clean design
- Easy-to-clean, vertical flue tubes
- Left or right side chimney outlets
- Tank, wall or ceiling mounting options
- ✓ Washable, in-line oil filter with gauge
- √ 1,000-plus hour cleaning interval
- EPA-approved and environmentally friendly design
- ✓ UL & cUL listed
- Made in the USA

Acceptable Fuels:

- #2 Fuel Oil or Diesel Fuel
- ✓ Used Crankcase Oil
- ✓ Used Hydraulic Oil
- Used Automatic Transmission Fluid
- ✓ Most Synthetic Oils
- Start saving money today by turning used petroleum products into clean, safe, FREE heat for your business. Contact us to learn more and find a distributor near you.



Visit www.CleanEnergyHeatingSystems.com to experience our vision, learn more about our innovative products and meet our team.

Call us toll free: 888.519.2347 www.CleanEnergyHeatingSystems.com 540 Maple Street - Honey Brook, PA 19344

Join the conversation:







